Product datasheet

Specifications

modular digital ammeter iAMP - 230V - 0..10A

15202

Price: 133.88 USD

Main

Range	Acti9
Device Short Name	iAMP
Product Or Component Type	Ammeter
Range Compatibility	Prisma Prisma P door Prisma Prisma G door
Network Type	AC 50/60 Hz
Mounting Support	DIN rail

Complementary

Type Of Measurement	Current
[Us] Rated Supply Voltage	230 AC at 50/60 Hz
Power Consumption In Va	0.3 VA
Power Consumption In Va	0.3 VA
9 Mm Pitches	4
Width	36 mm
Height	87 mm
Depth	65 mm
Connections - Terminals	Tunnel type terminal 2 cable(s) 2.5 mm²

Environment

Standards	EN 50081-1 IEC 61010-1 EN 50082-1
Ambient Air Temperature For Operation	-20…50 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	8.0 cm
Package 1 Length	9.2 cm
Package 1 Weight	187.0 g
Unit Type Of Package 2	S02

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Number Of Units In Package 2	36
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.102 kg

Contractual warranty

Warranty	18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins