Product datasheet

Specifications





16A 250V Electronic Key Card Switch with Time Delay, Wine Gold

E8231EKT_WG_G1

Main

Range Of Product	Pieno	
Product Or Component Type	Electronic keycard reader	
Rated Current	16 A at 220240 V AC 50/60 Hz	
Load Type	Resistive	
Cover Frame Colour Tint	Wine gold	

Complementary

Wiring Device Mounting	Surface Flush
Material	Polycarbonate: surround Polycarbonate: grid plate
Width	87 mm
Height	87 mm
Depth	9.1 mm

Environment

Ambient Air Temperature For Operation	040 °C
Relative Humidity	095 %
Standards	IEC 60669-2-1

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.08 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	145.2 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	60
Package 2 Height	21 cm
Package 2 Width	32.5 cm
Package 2 Length	50 cm
Package 2 Weight	8712 g

Excluding VAT, FCA Jabal Ali & are subject to change - check with your local distributor.

Unit Type Of Package 3	PAL
Number Of Units In Package 3	1200
Package 3 Height	84 cm
Package 3 Width	82.5 cm
Package 3 Length	100 cm
Package 3 Weight	191240 g

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations