Product datasheet

Specification





1 Gang Telephone Socket, Keystone on Shuttered Wallplate

E8231RJS4_WG_G1

Main

Product Or Component Type	Telephone socket	
Range	Pieno	
Number Of Gangs	1 gang	

Complementary

Wiring Device Mounting	Flush Surface
Material	Polycarbonate: surround Polycarbonate: grid plate
Width	87 mm
Height	87 mm
Depth	30.6 mm

Environment

Ambient Air Temperature For Operation	-540 °C
Ambient Air Temperature For Storage	095 °C
Standards	GB 17466 IEC 60670

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.88 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	78.08 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	80
Package 2 Height	21 cm
Package 2 Width	32.5 cm
Package 2 Length	50 cm
Package 2 Weight	6246.4 g
Unit Type Of Package 3	PAL

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Number Of Units In Package 3	1600
Package 3 Height	84 cm
Package 3 Width	82.5 cm
Package 3 Length	100 cm
Package 3 Weight	141928 a



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Pro-active China RoHS declaration (out of China RoHS legal scope) Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations