Product datasheet

Specification





Exclusive Metal clad - surface grid mounting box - 1...2 gangs - grey

GBG01

Main

Range Of Product	Exclusive
Aesthetic Name	Metal clad
Product Or Component Type	Grid mounting box
Colour Tint	Grey
Quantity Per Set	Set of 10

Complementary

Device Mounting	Surface
Mounting Support	Wall mounted
Number Of Gangs	12 gangs
Cable Entry	Knock-outs Ø 20 mm
Fixing Mode	By screws
Material	Powder coated steel
Type Of Installation	Indoor
Depth	42 mm
Width	76 mm
Height	76 mm
Net Weight	0.151 kg

Environment

Standards	BS EN 60670-1
-----------	---------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.653 cm
Package 1 Width	6.653 cm
Package 1 Length	6.65 cm
Package 1 Weight	151 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	8.5 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 2 Width	16.5 cm
Package 2 Length	21 cm
Package 2 Weight	1.572 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	50
Package 3 Height	18 cm
Package 3 Width	23 cm
Package 3 Length	44 cm
Package 3 Weight	8.485 kg

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations