Product datasheet

Specifications





Lisse - 2-way plate switch - 1 gang - 20AX - white

GGBL101220S

! Discontinued on: 20 Jun 2023

Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Plate switch
Device Presentation	Complete product
Colour Tint	White
Quantity Per Set	Set of 1

Complementary

Switch Function	2-way
Control Type	Rocker
Number Of Gangs	1 gang
Device Mounting	Wall mounted
Rated Current	20 AX
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Surface Finish	Matt
Type Of Packing	Bag
Height	87 mm
Width	87 mm
Depth	24 mm
Net Weight	0.063 kg

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.400 cm
Package 1 Width	8.700 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 1 Length	8.700 cm
Package 1 Weight	74.700 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.500 cm
Package 2 Width	13.000 cm
Package 2 Length	18.500 cm
Package 2 Weight	824.000 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	200
Package 3 Height	28.500 cm
Package 3 Width	39.000 cm
Package 3 Length	50.000 cm
Package 3 Weight	17.125 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Circularity Profile	End of Life Information