



Lisse - intermediate wide rocker switch - 1 gang - 10AX - white

GGBL1014WS

Main

Range	Lisse	
Aesthetic Name	White moulded	
Product Or Component Type	Switch	
Device Presentation	Complete product	
Colour Tint	White	
Quantity Per Set	Set of 1	

Complementary

Switch Function	Intermediate	
Control Type	Rocker	
Number Of Gangs	1 gang	
Device Mounting	Wall mounted	
Rated Current	10 AX at 230 V AC	
Connections - Terminals	Screw terminals	
Material	Urea (carbamide)	
Surface Finish	Matt	
Type Of Packing	Bag	
Height	87 mm	
Width	87 mm	
Depth	25.5 mm	
Net Weight	0.086 kg	

Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Package 1 Weight	95 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.2 cm
Package 2 Width	15.5 cm
Package 2 Length	18.5 cm
Package 2 Weight	1.03 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	200
Package 3 Height	33.5 cm
Package 3 Width	39 cm
Package 3 Length	49 cm
Package 3 Weight	21.35 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations