Product datasheet

Specification





Exclusive Weatherproof - residual current device - 2 gangs - grey

GWPIU3020R

Main

Range Of Product	Exclusive
Aesthetic Name	Weatherproof
Product Or Component Type	Socket-outlet
Device Presentation	Complete product
Colour Tint	Grey
Quantity Per Set	Set of 1

Complementary

Rated Current	13 A at 230 V AC
Residual Current	30 mA
Number Of Gangs	2 gangs
Fixing Mode	By screws
Connections - Terminals	Screw terminals
Material	Thermoplastic
Type Of Installation	Outdoor
Depth	60 mm
Width	148 mm
Height	95 mm
Net Weight	0.539 kg

Environment

Standards	BS 7288
Ip Degree Of Protection	IP66

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.800 cm
Package 1 Width	13.000 cm
Package 1 Length	15.500 cm
Package 1 Weight	604.000 g
Unit Type Of Package 2	CAR

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Number Of Units In Package 2	20
Package 2 Height	28.500 cm
Package 2 Width	33.000 cm
Package 2 Length	45.500 cm
Package 2 Weight	12.578 kg
Unit Type Of Package 3	PAM
Number Of Units In Package 3	420
Package 3 Height	102.000 cm
Package 3 Width	120.000 cm
Package 3 Length	100.000 cm
Package 3 Weight	284.132 kg

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Circularity Profile	End of Life Information