# **Product datasheet**

Specifications





## Actassi Fibre Optic Front Adapters Plate with 6 x SC Dplx SM Adapters

ACTFM1UF2SC6PSM

#### Main

Range	Actassi
Product	Cover plate with adapters
Product Destination	Fibre optic panel
Provided Equipment	6 duplex single-mode adaptor for SC

#### Complementary

Material	PC	
Fixing Mode	Snap-in	
Colour	Black	
Width	120 mm	
Height	35 mm	
Depth	5.6 mm	

#### **Packing Units**

0	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15 cm
Package 1 Width	4.7 cm
Package 1 Length	4.7 cm
Package 1 Weight	80 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	74
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	5.99 kg
Unit Type Of Package 3	PAL
Number Of Units In Package 3	1776
Package 3 Height	102 cm
Package 3 Width	80 cm
Package 3 Length	120 cm

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 3 Weight

205.2 kg

### Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations