# **Product datasheet**

Specifications





# Central plate, Merten System M, 1gng f. Schneider Electric RJ45-Connctr., glossy, polar white

MTN469819

#### Main

Range	Merten
Product Or Component Type	Cover plate
Product Destination	Data socket
Colour Tint	Polar white (RAL 9010)

## Complementary

Fixing Mode	By clips
Socket Number	1
Cover Type	Lid Label holder
Material	Thermoplastic
Surface Finish	Glossy
Width	71 mm
Height	71 mm

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.200 cm
Package 1 Width	7.300 cm
Package 1 Length	7.900 cm
Package 1 Weight	20.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	100
Package 2 Height	20.300 cm
Package 2 Width	30.600 cm
Package 2 Length	40.200 cm
Package 2 Weight	2.512 kg

#### **Contractual warranty**

Warranty

18 months

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

# Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Environmental Certifications**

Cradle To Cradle Silver

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations