Product datasheet

Specification





KNX ARGUS Presence with light control and IR receiver, polar white

MTN630919

Main

Range	KNX
Product Or Component Type	Presence detector
Bus Type	KNX
Colour Tint	Polar white

Complementary

Device Presentation	Complete product
Number Of Channels	6
Protection Type	Creep zone protection
Type Of Setting	Light sensitivity adjustable
Duty Cycle	15300 minutes
Time Delay Range	01 s (switch-on)
Detection Face	Lateral: 7 m
Detection Angle	360° horizontal
Device Mounting	Flush
Mounting Height	2.5 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	14.300 cm
Package 1 Length	18.200 cm
Package 1 Weight	184.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	6
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	1.512 kg

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information