Product datasheet

Specifications

Green Premium™

KNX ARGUS 180, flush-mounted, white, glossy, System M

MTN631644

(!) Discontinued on: May 12, 2023

(!) **Discontinued**

Main

Range	Merten
Aesthetic Name	System M M-Plan glass M-Arc M-Smart M-Star M-Elegance M-Plan
Product Or Component Type	Movement detector
Device Presentation	Mechanism with fixing frame and central plate
Bus Type	KNX
Number Of Channels	5
Colour Tint	White (RAL 1013)

Complementary

Type Of Setting	Light sensitivity adjustable
Device Mounting	Flush
Mounting Height	1.1 m
Duty Cycle	15300 minutes
Time Delay	1 second switch-on
Movement Detection Area	16 m
Detection Angle	180° horizontal
Detection Face	Lateral: 8 m
Material	Plastic brilliant

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.9 cm
Package 1 Width	7.6 cm
Package 1 Length	7.6 cm
Package 1 Weight	84 g

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty   18 months

Life Is On | Schneider Electric

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

RoHS/REACh

Well-being performance

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Eu Rohs Directive   Compliant

EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Pro-active China RoHS declaration (out of China RoHS legal scope)

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   End of Life Information