

KNX fan coil actuator REG-K, light grey

MTN645094

Main

Range Of Product	KNX	
Product Or Component Type	Heating actuator	
Operating Mode	Manual KNX bus system	
Bus Type	KNX	
Rated Output	0.5 A - 5 x for output continuous 0 to 100 % 0.5 A for output switching on/off	
Rated Input	Signal voltage (SELV): 2 x binary	

Complementary

Total Number Of 18 Mm Modules	4
Wiring Device Mounting	DIN rail
[Ue] Rated Operational Voltage	207253 V
Load Type	Valve: 230 V AC Valve: 24 V AC

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.100 cm
Package 1 Width	12.600 cm
Package 1 Length	15.900 cm
Package 1 Weight	332.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	19.700 cm
Package 2 Width	30.600 cm
Package 2 Length	41.000 cm
Package 2 Weight	3.688 kg

Contractual warranty

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information