Product datasheet

Specifications





Switch actuator REG-K/4x230/16 w. manual mode and current detection, light grey

MTN647595

Main

Range Of Product	KNX	
Product Or Component Type	Switch actuator	
Operating Mode	Manual	
Bus Type	KNX	
Modular Device Additional Info	Connectable with different phases	
Number Of Contacts	4	

Complementary

Current detection		
4		
DIN rail		
230 V		
5060 Hz		
0.116 A		
Incandescent lamps: <= 3600 W, 230 V AC Halogen lamps: <= 2500 W, 230 V AC Parallel compensated fluorescent lamp: <= 2500 VA, 230 V AC Capacitive: , 16 A, 200 μF, 100240 V AC Motor: <= 1000 W, 230 V AC		

Environment

Ip Degree Of Protection	IP20		

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.100 cm
Package 1 Width	13.600 cm
Package 1 Length	15.900 cm
Package 1 Weight	372.000 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	19.700 cm
Package 2 Width	30.600 cm

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Length	40.400 cm
Package 2 Weight	4.106 ka

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration		
Eu Rohs Directive	Compliant with Exemptions		
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information		
Environmental Disclosure	Product Environmental Profile		
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins		
Circularity Profile	End of Life Information		