
# **Product datasheet**

Specification





# FR.PL.INS2500 3P/4P

03715

Discontinued on: 14 May 2023

(!) Discontinued

## Main

| Range                                 | Prisma  |
|---------------------------------------|---|
| Range Of Product                      | Prisma P  |
| Product Or Component Type             | Front plate   |
| Accessory / Separate Part<br>Category | Installation accessory  |
| Range Compatibility                   | Prisma Prisma P cubicle   |
| Type Of Front Plate                   | Cut-out   |
| Installed Device                      | ComPact: fixed INS20002500 - control: direct front rotary handle - vertical installation ComPact: fixed INV20002500 - control: direct front rotary handle - vertical installation   |
| Poles Description                     | 1 x 3P: mounting plate support: INS20002500 vertical installation 1 x 4P: mounting plate support: INS20002500 vertical installation 1 x 3P: mounting plate support: INV20002500 vertical installation 1 x 4P: mounting plate support: INV20002500 vertical installation |
| Operating Position                    | Vertical  |

# Complementary

| J                                  |  |
|------------------------------------|--|
| Enclosure/Cubicle Description      | Cubicle - width 650 mm depth 400 mm<br>Cubicle - width 650 mm depth 600 mm |
| Connection Position                | Front connection Rear connection   |
| Number Of Vertical Modules [50 Mm] | 10   |
| Standards                          | IEC 61439-2<br>IEC 61439-1   |
| Product Certifications             | ASEFA  |
| Material                           | Steel  |
| Surface Finish                     | Smooth<br>Matt   |
| Protective Treatment               | Electrophoresis treatment and hot-polymerised polyester epoxy powder       |
| Colour                             | White (RAL 9001)   |
| Height                             | 500 mm   |
| Width                              | 500 mm   |
| Net Weight                         | 3.54 kg  |
| Quantity Per Set                   | Set of 1   |

#### **Functional Unit**

650 mm 400 mm Prisma P cubicle ComPact INS2000...2500 fixed direct front rotary handle vertical 3P 1 front connection on adaptor 16

650 mm 400 mm Prisma P cubicle ComPact INS2000...2500 fixed direct front rotary handle vertical 4P 1 front connection on adaptor 16

650 mm 600 mm Prisma P cubicle ComPact INS2000...2500 fixed direct front rotary

handle vertical 3P 1 rear connection on adaptor 16

650 mm 600 mm Prisma P cubicle ComPact INS2000...2500 fixed direct front rotary handle vertical 4P 1 rear connection on adaptor 16

650 mm 400 mm Prisma P cubicle ComPact INV2000...2500 fixed direct front rotary

handle vertical 3P 1 front connection on adaptor 16 650 mm 400 mm Prisma P cubicle ComPact INV2000...2500 fixed direct front rotary

handle vertical 4P 1 front connection on adaptor 16

650 mm 600 mm Prisma P cubicle ComPact INV2000...2500 fixed direct front rotary

handle vertical 3P 1 rear connection on adaptor 16 650 mm 600 mm Prisma P cubicle ComPact INV2000...2500 fixed direct front rotary

handle vertical 4P 1 rear connection on adaptor 16

## **Packing Units**

| Unit Type Of Package 1       | PCE      |
|------------------------------|----------|
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 7.0 cm   |
| Package 1 Width              | 53.0 cm  |
| Package 1 Length             | 54.0 cm  |
| Package 1 Weight             | 3.54 kg  |
| Unit Type Of Package 2       | P12      |
| Number Of Units In Package 2 | 24       |
| Package 2 Height             | 85 cm    |
| Package 2 Width              | 80 cm    |
| Package 2 Length             | 120 cm   |
| Package 2 Weight             | 96.96 kg |



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

# Well-being performance

| <b>⊘</b> | Reach Free Of Svhc                 |
|----------|------------------------------------|
| <b>⊘</b> | Toxic Heavy Metal Free             |
| <b>⊘</b> | Mercury Free                       |
| <b>⊘</b> | Rohs Exemption Information Yes     |
| <b>Ø</b> | Halogen Free Plastic Parts Product |

### **Certifications & Standards**

| Eu Rohs Directive        | Pro-active compliance (Product out of EU RoHS legal scope)        |
|--------------------------|---|
|                          | EU RoHS Declaration   |
| China Rohs Regulation    |   |
| China Rons Regulation    | China RoHS declaration  |
|                          | Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Environmental Disclosure |   |
| Environmental Disclosure | Product Environmental Profile                                     |
| Circularity Profile      | Find of Utility Information                                       |
| On outainty i forme      | End of Life Information   |