

Product datasheet

Specifications



Multipact MCB-RCBO Board TPN 4W c/w Main Switch Space

B12104R

⚠ Discontinued on: 12 May 2023

⚠ End-of-service on: 30 Sept 2022

⚠ Discontinued

Main

Range Of The Product	Acti9 HK enclosures
Product Or Component Type	Load Centre
Enclosure Type	Standard
Device Application	Low voltage electrical distribution
Provided Equipment	enclosure pan assembly neutral link earth link
Number Of Ways	4 ways

Complementary

[In] Rated Current	200 A
Protection Device Options	Miniature circuit breaker (MCB) Residual current circuit breaker with overcurrent protection (RCBO)
Enclosure Mounting	Surface
Door Type	Plain
Connections - Terminals	Screw (neutral in) 1...120 mm ² solid or flexible Screw (earth in) 1...70 mm ² solid or flexible Screw (neutral and earth out) 1...16 mm ² solid or flexible
Enclosure Material	Galvanized sheet steel 1.2 mm thick
Width	440 mm
Height	466 mm
Depth	110 mm

Environment

Ip Degree Of Protection	IP41
Standards	IEC 60439-1

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	44.0 cm
Package 1 Width	46.6 cm
Package 1 Length	11.0 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	11.0 kg
------------------	---------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive

Under investigation