





01065

! Discontinued on: May 12, 2023

① Discontinued

Main

Range	Prisma	
Range Of Product	Prisma G	
Product Or Component Type	Central upright	
Accessory / Separate Part Category	Enclosure accessory Spare part	
Range Compatibility	Prisma Prisma G enclosure	
Ip Degree Of Protection	IP30	
Accessory / Separate Part Destination	For side by side framework combination	

Complementary

Installation Description	Wall-mounted enclosure - width 600 mm Wall-mounted enclosure - width 300 mm
Number Of Vertical Modules [50 Mm]	15
Mounting Location	Side by side
Quantity Per Set	Set of 1
Height	780 mm
Surface Finish	Matt Smooth
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	23.0 cm
Package 1 Length	81.0 cm
Package 1 Weight	1.25 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	12
Package 2 Height	50.0 cm
Package 2 Width	80.0 cm

Package 2 Length	120.0 cm
Package 2 Weight	27.0 kg



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc
⊘	Toxic Heavy Metal Free
⊘	Mercury Free
⊘	Rohs Exemption Information Yes
Ø	Halogen Free Plastic Parts Product

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile