

Lembar data produk

Spesifikasi



current transformer TeSys T
LT6CT - 400/1 A - accuracy: class
5P

LT6CT4001

Main

Range	TeSys
Device Short Name	LT6CT
Product Or Component Type	Current transformer
Range Compatibility	TeSys TeSys T motor controller

Complementary

Current Transformer Ratio	400/1
Accuracy Class	Class 5P
Precision Limit Factor	15
[Ui] Rated Insulation Voltage	690 V
Diameter	35 mm
Cable Cross Section	300 mm ²
Height	107 mm
Width	95 mm
Depth	25 mm
Net Weight	0.55 kg

Environment

Standards	BS 7626 IEC 60185
Maximum Ambient Air Temperature For Operation	50 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.200 cm
Package 1 Width	10.200 cm
Package 1 Length	12.200 cm
Package 1 Weight	420.000 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	20
Package 2 Height	15.000 cm

Disklaimer: Dokumentasi ini tidak ditujukan sebagai pengganti dan tidak untuk digunakan untuk menentukan kesesuaian atau keandalan produk ini untuk aplikasi pengguna

Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	8.750 kg

Contractual warranty

Warranty	12 months
----------	-----------

Keberlanjutan

Green Premium™ label adalah komitmen Schneider Electric untuk memberikan produk dengan performa lingkungan terbaik di kelasnya. Green Premium menjanjikan kepatuhan pada peraturan terbaru, transparansi pada dampak lingkungan, serta produk melingkar dan rendah CO₂.

Panduan untuk menilai keberlanjutan produk adalah laporan resmi yang menjelaskan standar label lingkungan global dan bagaimana menafsirkan deklarasi lingkungan.

[Pelajari lebih lanjut tentang Green Premium >](#)

[Panduan untuk menilai keberlanjutan produk >](#)



Transparansi RoHS/REACH

Kinerja kesejahteraan

 Mercury Free

 Rohs Exemption Information [Yes](#)

Sertifikasi & Standar

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information