Product datasheet

Specifications

Green Premium™

LED bulb, Harmony XVB, BA 15d, white, steady light, 120V AC

DL1BDG1

Main

Range Compatibility	Harmony XVD Harmony XVB Harmony XVP
Accessory / Separate Part Designation	Protected LED bulb
Accessory / Separate Part Type	LED bulb
Accessory / Separate Part Category	Lighting accessories
Accessory / Separate Part Destination	Beacon and indicator bank
[Us] Rated Supply Voltage	120 V AC
Signalling Type	Steady
Signalling Colour	White
Sale Per Indivisible Quantity	1

Complementary

Current Consumption	17 mA
Bulb Base	BA 15d
Net Weight	0.015 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	4.5 cm
Package 1 Length	6.0 cm
Package 1 Weight	12.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	60
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	958.0 g

Contractual warranty

Life Is On | Schneider Electric

Warranty   18 months

Sustainability ![Green Premium™]

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                        EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

Environmental Disclosure   Product Environmental Profile

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   No need of specific recycling operations