

Product datasheet

Specifications



Ultimate Slimline - surface surface mounted box - 2 gangs

GU9235

Main

Range Of Product	Ultimate
Aesthetic Name	Slimline
Product Or Component Type	Surface mounted box
Colour Tint	White
Quantity Per Set	Set of 5

Complementary

Device Mounting	Surface
Number Of Gangs	2 gangs
Cable Entry	Knock-out
Fixing Mode	By screws
Material	Urea (carbamide)
Depth	38.5 mm
Width	148.6 mm
Height	87.6 mm
Net Weight	0.13 kg

Environment

Standards	BS EN 60670-1
-----------	---------------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.597 cm
Package 1 Width	8.597 cm
Package 1 Length	8.59 cm
Package 1 Weight	130 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	10 cm
Package 2 Width	15.5 cm
Package 2 Length	20.5 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	749.8 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	33 cm
Package 3 Width	43 cm
Package 3 Length	51.5 cm
Package 3 Weight	16.54 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability


Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

Well-being performance

 Rohs Exemption Information	Yes
Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration
Circularity Profile	No need of specific recycling operations