
Product datasheet

Specifications





Cantilever arm support, Canalis KS 100A to 1000A, 200mm arm, maximum load 220kg

KFBCA81200

Main

Canalis	
Cantilever arm	
KS	
Pendant Wall mounting	
220 kg	
	KS Pendant

Complementary

Accessory / Separate Part Category	Fixing accessory
[le] Rated Operational Current	1000.0 A
Width	258 mm
Depth	39 mm
Height	110 mm
Net Weight	600 g

Environment

Standards	IEC 61439-6
	IEC 60439-2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.100 cm
Package 1 Width	12.000 cm
Package 1 Length	27.000 cm
Package 1 Weight	444.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	4
Package 2 Height	10.700 cm
Package 2 Width	12.000 cm
Package 2 Length	27.000 cm
Package 2 Weight	1.780 kg

Unit Type Of Package 3	CAR
Number Of Units In Package 3	36
Package 3 Height	22.000 cm
Package 3 Width	38.500 cm
Package 3 Length	40.500 cm
Package 3 Weight	16.610 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes
Halogen Free Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations