
Product datasheet

Specifications





Jointing unit adapter, Canalis KSA 500A to 630A, aluminium, 3L+N+PE, adapter from former KS offer to current KS offer

KSA500FA4

Main

Range Of Product	Canalis
Product Name	KS
Product Or Component Type	Adapter
Product Compatibility	KS
[le] Rated Operational Current	500 A
Colour	White (RAL 9001)

Complementary

Accessory / Separate Part Category	Adaptation
Device Application	Adapt old offer
Mounting Location	Between trunking
Mounting Mode	By screws
Mounting Support	Busbar
Busbar Trunking Polarity	3L + N + PE
Width	324 mm
Depth	132 mm
Height	200 mm
Body Material	Plastic
Net Weight	3.65 kg

Environment

Ip Degree Of Protection	IP55 conforming to IEC 60529
Standards	IEC 60439-2
	IEC 61439-6

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.200 cm
Package 1 Width	20.000 cm
Package 1 Length	32.400 cm
Package 1 Weight	3.650 kg

Unit Type Of Package 2	P06
Number Of Units In Package 2	6
Package 2 Height	43.000 cm
Package 2 Width	80.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	50.000 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc
⊘	Toxic Heavy Metal Free
⊘	Mercury Free
⊘	Rohs Exemption Information Yes
Ø	Halogen Free Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations