Product datasheet

Specifications





TeSys LG - enclosed DOL starter - 6...10 A - 220/230 V AC coil - no pushbuttons

LG7K09M714A04

! Discontinued on: 30 Nov 2021

(!) Discontinued

Main

Range	TeSys	
Product Name	TeSys LG	
Device Short Name	LG7K	
Product Or Component Type	Enclosed DOL starter	
Device Application	Safety	
Utilisation Category	AC-3	
Device Composition	Contactor Circuit-breaker	
Motor Power Kw	4 kW at 400/415 V AC 50/60 Hz 4 kW at 440 V AC 50/60 Hz 1.5 kW at 220/230 V AC 50/60 Hz	
Thermal Protection Adjustment Range	610 A	
[Uc] Control Circuit Voltage	220/230 V AC 50/60 Hz	
Control Type	Mushroom head push-button emergency stop red	

Complementary

Standards	IEC 60947-4-1 IEC 60204-1	
Cable Entry Number	4 2 Pg 13 + 2 Pg 16 top 4 2 Pg 13 + 2 Pg 16 bottom	
Height	165 mm	
Depth	177 mm	
Net Weight	1.45 kg	
Width	175 mm	

Environment

Material	Polycarbonate	
Ik Degree Of Protection	IK07 conforming to IEC 60529	
Ip Degree Of Protection	IP55 conforming to IEC 60529	
Environmental Characteristic	Standard environment	

Packing Units

•			
Unit Type Of Package 1	PCE		

Number Of Units In Package 1	1
Package 1 Height	18.5 cm
Package 1 Width	22.4 cm
Package 1 Length	25.5 cm
Package 1 Weight	1.495 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration	
Eu Rohs Directive	Compliant EU RoHS Declaration	
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information	
Environmental Disclosure	Product Environmental Profile	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	
Circularity Profile	End of Life Information	