

Product datasheet

Specifications



Long rear connections, ComPacT NSX, EasyPact CVS, 250A, set of 2 parts

LV429236

Main

| | |
|------------------------------------|--|
| Range Of Product | ComPacT NSX100...250 new generation ComPacT NSX100...250 DC new generation |
| Product Or Component Type | Long rear connection |
| Accessory / Separate Part Category | Connection accessory |
| Range Compatibility | ComPacT new generation ComPacT NSX100 new generation ComPacT new generation ComPacT NSX160 new generation ComPacT new generation ComPacT NSX250 new generation ComPacT new generation Compact NSX100 DC ComPacT new generation Compact NSX160 DC ComPacT new generation Compact NSX250 DC ComPacT new generation EasyPact CVS100 ComPacT new generation EasyPact CVS160 ComPacT new generation EasyPact CVS250 ComPacT new generation ComPacT INS ComPacT new generation Compact INV |
| Poles Description | 4P 3P |
| [In] Rated Current | 250 A |

Complementary

| | |
|------------------------|----------------|
| Location Of Connection | Rear |
| Localisation On Device | Top and bottom |
| Shape | Long |
| Quantity Per Set | Set of 2 |

Packing Units

| | |
|------------------------------|---------|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 3.4 cm |
| Package 1 Width | 11.2 cm |
| Package 1 Length | 13.2 cm |
| Package 1 Weight | 284 g |
| Unit Type Of Package 2 | BB1 |
| Number Of Units In Package 2 | 12 |
| Package 2 Height | 10.5 cm |
| Package 2 Width | 20 cm |
| Package 2 Length | 35 cm |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|------------------------------|-----------|
| Package 2 Weight | 3.63 kg |
| Unit Type Of Package 3 | S04 |
| Number Of Units In Package 3 | 60 |
| Package 3 Height | 30 cm |
| Package 3 Width | 40 cm |
| Package 3 Length | 60 cm |
| Package 3 Weight | 18.916 kg |

Contractual warranty

| | |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Sustainability





Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Well-being performance

| | | |
|---|----------------------------|---|
|  | Reach Free Of Svhc | |
|  | Toxic Heavy Metal Free | |
|  | Mercury Free | |
|  | Rohs Exemption Information | Yes |
| | | |
| Reach Regulation | | REACH Declaration |
| | | |
| Eu Rohs Directive | | Compliant EU RoHS Declaration |
| | | |
| China Rohs Regulation | | China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope) |
| | | |
| Weee | | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |