Product datasheet

Specifications



SDTAM contactor tripping module, ComPacT NSX, motor protection, 24/415VAC/DC

LV429424

Main

Range Of Product	ComPact NSX100250 ComPact NSX400630	
Range	ComPact	
Device Short Name	SDTAM	
Product Or Component Type	Thermal fault module	
Device Application	Signalling	
Range Compatibility	ComPact ComPact NSX circuit breaker	
Accessory / Separate Part Category	Trip unit accessory	
Trip Unit Name	MicroLogic 2.3 M MicroLogic 2.2 M MicroLogic 6.3 E-M MicroLogic 6.2 E-M	

Complementary

Maximum Output Current	0.08 A
[Us] Rated Supply Voltage	24415 V AC 50/60 Hz 24415 V DC

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.0 cm
Package 1 Width	5.0 cm
Package 1 Length	10.5 cm
Package 1 Weight	58.0 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	46
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.123 kg

Contractual warranty

Warranty

18 months

1

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
0	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant
		EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration
		Pro-active China RoHS declaration (out of China RoHS legal scope)
Wee	e	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins