



# Document pocket, PanelSeT SFN, Spacial SF, steel, W800mm

NSYSDP8M

#### Main

Range	Spacial
Product Or Component Type	Document pocket
Application	Door accessories
Nominal Dimensions Of The Housing	-
Mounting Location	On door reinforcement frame
Mounting Support	Direct mounting
Range Compatibility	Spacial SF, SM, SFX and SMX enclosures
<b>Device Composition</b>	1 x metal document pocket 1 x fixing element
Quantity Per Set	Set of 1

## Complementary

Material	Door: steel
Colour	Door: grey (RAL 7035)
Surface Finish	Painted
Fixing Mode	Direct fixing - door location
Adjustment	Adjustable in height, steps of 25 mm for door
Height	Nominal: 282 mm
Width	Nominal: 800 mm
Depth	65 mm

### **Packing Units**

25 Apr 2024

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	28.3 cm
Package 1 Length	67.2 cm
Package 1 Weight	2.12 kg
Unit Type Of Package 2	PAM
Number Of Units In Package 2	60
Package 2 Height	120 cm
Package 2 Width	100 cm

Package 2 Length	110 cm
Package 2 Weight	143 kg

## **Contractual warranty**

Warranty 18 months



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations