Product datasheet

Specifications

Green Premium™

U?

standard motor mechanism module (MCH), fixed ComPact NS630b to NS1600, 220/240 VAC 50/60 Hz

33688

Main

Device Short Name	MCH
Product Or Component Type	Motor mechanism
Device Application	Automatic spring charging
Range Compatibility	ComPacT new generation ComPact NS630b...1600
Control Type	Standard
[Uc] Control Circuit Voltage	220...240 V AC 50/60 Hz
Circuit Breaker Mounting Mode	Fixed
Circuit Breaker Frame Rated Current	630 A 1000 A 1600 A 800 A 1250 A

Complementary

Control Signal Type	Impulse Maintained
Circuit Breaker Response Time	60 ms +/- 10 ms open 60 ms +/- 10 ms closed
Maximum Operating Frequency	<= 3 cycles per minute
Maximum Power Consumption In Va	180 VA

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	15.000 cm
Package 1 Width	15.000 cm
Package 1 Length	40.000 cm
Package 1 Weight	1.193 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	32
Package 2 Height	45.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	56.576 kg

Life Is On | Schneider Electric

Contractual warranty

Warranty   18 months

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ⟩

Guide to assess a product's sustainability ⟩

Transparency   RoHS/REACh

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant with Exemptions

China Rohs Regulation   China RoHS declaration

          Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure   Product Environmental Profile

Weee   The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile   End of Life Information