



communicating motor mechanism module (MCH), fixed ComPact NS630b to NS1600, 24/30 VDC

33697

! Discontinued on: 23 Jul 2021

Main

Device Short Name	MCH	
Product Or Component Type	Motor mechanism	
Device Application	Automatic spring charging	
Range Compatibility	ComPacT new generation ComPact NS630b1600	
Control Type	Communicating	
[Uc] Control Circuit Voltage	2430 V DC	
Circuit Breaker Mounting Mode	Fixed	
Circuit Breaker Frame Rated Current	1600 A 630 A 1250 A 800 A 1000 A	

Complementary

Control Signal Type	Impulse Maintained
Circuit Breaker Response Time	60 ms +/- 10 ms open 60 ms +/- 10 ms closed
Maximum Operating Frequency	<= 3 cycles per minute
Maximum Power Consumption In Va	180 VA

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	13.0 cm
Package 1 Length	18.0 cm
Package 1 Weight	1.364 kg

Contractual warranty

Warranty	18 months		
----------	-----------	--	--

Sustainability Green Premium

Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration	
Eu Rohs Directive	Compliant with Exemptions	
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information	
Environmental Disclosure	Product Environmental Profile	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	
Circularity Profile	End of Life Information	