Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

rear connection - short - 250 A - set of 2



LV429235

Main

| Range Of Product | ComPacT NSX100250 new generation |
|---------------------------------------|--|
| | ComPacT NSX100250 DC new generation |
| Product Or Component Type | Short rear connection |
| Accessory / Separate Part Category | Connection accessory |
| Range Compatibility | ComPacT new generation ComPacT NSX100 new generation |
| | ComPacT new generation ComPacT NSX160 new generation |
| | ComPacT new generation ComPacT NSX250 new generation |
| | ComPacT new generation Compact NSX100 DC |
| | ComPacT new generation Compact NSX160 DC |
| | ComPacT new generation Compact NSX250 DC |
| | ComPacT new generation EasyPact CVS100 |
| | ComPacT new generation EasyPact CVS160 |
| | ComPacT new generation EasyPact CVS250 |
| | ComPacT new generation ComPacT INS |
| | ComPacT new generation Compact INV |
| Poles Description | 3P |
| | 4P |
| [In] Rated Current | 250 A |

Complementary

| Location Of Connection | Rear |
|------------------------|----------|
| Shape | Short |
| Quantity Per Set | Set of 2 |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|-----------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 2.600 cm |
| Package 1 Width | 11.200 cm |
| Package 1 Length | 11.500 cm |
| Package 1 Weight | 170.000 g |
| Unit Type Of Package 2 | BB1 |
| Number Of Units In Package 2 | 12 |
| Package 2 Height | 10.800 cm |
| Package 2 Width | 20.100 cm |
| Package 2 Length | 35.100 cm |
| Package 2 Weight | 2.227 kg |

| Unit Type Of Package 3 | S04 |
|------------------------------|-----------|
| Number Of Units In Package 3 | 60 |
| Package 3 Height | 30.000 cm |
| Package 3 Width | 40.000 cm |
| Package 3 Length | 60.000 cm |
| Package 3 Weight | 11.750 kg |

Contractual warranty

Warranty 12 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

| ② | Reach Free Of Svhc | |
|----------|----------------------------|---|
| ② | Toxic Heavy Metal Free | |
| ⊘ | Mercury Free | |
| ② | Rohs Exemption Information | Yes |
| | | |
| Rea | ch Regulation | REACh Declaration |
| Eu F | Rohs Directive | Compliant |
| | | EU RoHS Declaration |
| Chir | na Rohs Regulation | China RoHS declaration |
| | | Pro-active China RoHS declaration (out of China RoHS legal scope) |
| Wee | e | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |