Product datasheet

Specifications

Green Premium™

Opale cover frame with fixing frame 18 module white

AAKX0718

Main

Range	Opale
Product Or Component Type	Cover frame with fixing frame
Colour Tint	White
Material	ABS + PC: front cover ABS (acrylonitrile butadiene-styrene): base cover

Complementary

Device Mounting	Flush
Number Of Modules	18 modules
Range Compatibility	Opale switch and socket-outlet
Surface Finish	Satin
Height	223.7 mm
Width	223 mm
Depth	13 mm

Environment

Ip Degree Of Protection	IP20
Environmental Characteristic	Indoor use
Ambient Air Temperature For Storage	-5…35 °C
Relative Humidity	10…95 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	21.9 cm
Package 1 Width	22.3 cm
Package 1 Length	1.3 cm
Package 1 Weight	195 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	20
Package 2 Height	250 cm
Package 2 Width	265 cm

Life Is On | Schneider Electric

Package 2 Length	335 cm
Package 2 Weight	3905 g

Sustainability

Green Premium^{TM} label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency   RoHS/REACh

Well-being performance

✅ Reach Free Of Svhc

✅ Toxic Heavy Metal Free

✅ Mercury Free

✅ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Pro-active compliance (Product out of EU RoHS legal scope)

                                      EU RoHS Declaration

China Rohs Regulation   China RoHS declaration

                                      Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations