



Mounting plate, Linergy HK, 3P, 25A 4.4mm², 190x54x61mm

AK5PA232

Main

Range	Linergy
Product Name	нк
Product Or Component Type	Mounting plate
Poles Description	3P
[Ith] Conventional Free Air Thermal Current	25 A
I ² T On Activation	200000 A².s
Number Of Cables	3 cable(s) 4 mm² at 105 °C
Width	54 mm
Height	190 mm
Depth	61 mm

Complementary

[Ui] Rated Insulation Voltage	690 V conforming to IEC 60439-1
9 Mm Pitches	6
Net Weight	0.23 kg

Environment

Standards	IEC 60439
Product Certifications	UL
	DNV
	CSA
	LROS (Lloyds register of shipping)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.000 cm
Package 1 Width	7.500 cm
Package 1 Length	22.000 cm
Package 1 Weight	375.000 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	20
Package 2 Height	30.000 cm

Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.980 kg
Unit Type Of Package 3	P06
Number Of Units In Package 3	160
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	74.364 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
9	Toxic Heavy Metal Free	
②	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations