Product datasheet

Specifications

Green Premium™

TeSys GV3 - auxiliary contact mounted on left hand side

GK2AX12

Discontinued on: 01-Nov-2020

Discontinued

Main

Range	TeSys
Device Short Name	GK2AX
Product Or Component Type	Fault signalling contact
Product Compatibility	GK3EF
Range Compatibility	TeSys GK3 GK3EF circuit breaker
Mounting Location	Left side
Auxiliary Contacts Operation	Fault signal 1 NO
Pole Contact Composition	1 NO
Quantity Per Set	Set of 10

Complementary

[Ui] Rated Insulation Voltage	500 V conforming to IEC 60947-1
[Ue] Rated Operational Voltage	500 V
[Ith] Conventional Free Air Thermal Current	6 A
Protection Type	GB2CB... circuit breaker GG fuse 6 A
Rated Operational Power In Va	360 VA at 48 V AC-15 - electrical durability: 20000 cycles at 6 A 500 VA at 110…127 V AC-15 - electrical durability: 20000 cycles at 4.5 A 800 VA at 220…240 V AC-15 - electrical durability: 20000 cycles at 3.5 A 850 VA at 380…415 V AC-15 - electrical durability: 20000 cycles at 2.2 A 700 VA at 440 V AC-15 - electrical durability: 20000 cycles at 1.5 A 700 VA at 500 V AC-15 - electrical durability: 20000 cycles at 1.5 A
Rated Operational Power In W	180 W at 24 V DC-13 - electrical durability: 1000 cycles 240 W at 48 V DC-13 - electrical durability: 1000 cycles 180 W at 60 V DC-13 - electrical durability: 1000 cycles 140 W at 110 V DC-13 - electrical durability: 1000 cycles 120 W at 220 V DC-13 - electrical durability: 1000 cycles
Height	80 mm
Width	8.8 mm
Depth	105 mm
Net Weight	0.025 kg

Environment

Environmental Characteristic	Normal environment

Packing Units

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.4 cm
Package 1 Width	7 cm
Package 1 Length	8 cm
Package 1 Weight	34 g

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Connections and Schema

GK2AX12