

END COVER

KBA40AF



Main

Range Of Product	Canalis
Product Or Component Type	End cover
Product Compatibility	КВА
[le] Rated Operational Current	40 A
Offer Type	Spare part
Colour	White (RAL 9003)

Complementary

Mounting Location	Side of trunking
Mounting Mode	By clips
Mounting Support	Busbar

Environment

Ip Degree Of Protection	IP55 conforming to IEC 60529
Standards	IEC 61439-6
	IEC 60439-2

Packing Units

9	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	4.5 cm
Package 1 Length	20.7 cm
Package 1 Weight	128 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	6 cm
Package 2 Width	12 cm
Package 2 Length	21 cm
Package 2 Weight	640 g
Unit Type Of Package 3	S02
Number Of Units In Package 3	30

Package 3 Height	15 cm	
Package 3 Width	30 cm	
Package 3 Length	40 cm	
Package 3 Weight	4.156 ka	

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc
9	Toxic Heavy Metal Free
②	Mercury Free
Ø	Rohs Exemption Information Yes
⊘	Pvc Free
9	Halogen Free Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations