



EasyPact TVS coil 220 VAC 50 Hz spare part for LC1E25

LAEX12M5

Main

Range	Easy TeSys
Range Of Product	Easy TeSys Control
Product Or Component Type	Contactor coil
Device Short Name	LAEX
Product Compatibility	LC1E25
Control Circuit Type	AC at 50 Hz standard
[Uc] Control Circuit Voltage	220 V AC 50 Hz
Average Resistance	515 Ohm at 20 °C
Inductance Of Closed Circuit	17.6 H

Complementary

Control Circuit Voltage Limits	Operational: 0.851.1 Uc at 50 Hz (at <55 °C)
Inrush Power In Va	70 VA 50 Hz cos phi 0.75 (at 20 °C)
Hold-In Power Consumption In Va	7 VA 50 Hz cos phi 0.3 (at 20 °C)

Environment

Ambient Air Temperature For Operation	-555 °C
Net Weight	0.067 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.8 cm
Package 1 Width	6.5 cm
Package 1 Length	8.0 cm
Package 1 Weight	88.0 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	28
Package 2 Height	15.0 cm
Package 2 Width	15.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	2.689 kg

Unit Type Of Package 3	PAL
Number Of Units In Package 3	896
Package 3 Height	70.0 cm
Package 3 Width	60.0 cm
Package 3 Length	80.0 cm
Package 3 Weight	79.44 kg

Contractual warranty

Warranty 18 months



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information