Product datasheet

Specifications

Green Premium™

NSX cord, Compact NSX, length 1.3 m

LV434201

Main

Device Short Name	cord L = 1.3 m
Product Or Component Type	Terminal block connector
Range Compatibility	ComPact ComPact NSX DC PowerPact PowerPact Multistandard ComPact ComPact NSX

Complementary

Mounting Mode	By clips
Location Of Connection	Inside
Localisation On Device	Internal
Connector Type	1 RJ45
[Ue] Rated Operational Voltage	<= 480 V
Length	1.3 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.3 cm
Package 1 Width	5.5 cm
Package 1 Length	11.6 cm
Package 1 Weight	70.0 g
Unit Type Of Package 2	S02
Number Of Units In Package 2	46
Package 2 Height	15.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	3.3 kg

Contractual warranty

Warranty	18 months

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Pvc Free	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information