

Product datasheet

Specifications



KNX universal dimming actuator LL REG-K/2x230/300W

MTN6710-0002

! Discontinued on: 31-Oct-2021

! End-of-service on: 30-Jun-2022

! Discontinued

Main

Range Of Product	KNX
Product Or Component Type	Dimming actuator
Operating Mode	KNX bus system Manual
Bus Type	KNX

Complementary

Total Number Of 18 Mm Modules	4
Mounting Support	DIN rail
[Ue] Rated Operational Voltage	220...230 V 110...130 V
Network Frequency	50/60 Hz
Number Of Outputs	2
Local Signalling	LED
Load Type	Incandescent lamps: 4...300 W at 230 V AC Halogen lamps: 4...300 W at 230 V AC LV halogen lamps: 25...300 VA at 12 V AC (wound transformer) LV halogen lamps: 4...300 W at 12 V AC (electronic transformer) Compact fluorescent lamp: 4...180 W at 230 V AC (RC mode) Energy saving lamp: 4...180 W at 230 V AC (RC mode) LED lamp: 4...180 W at 230 V AC (RC mode) Compact fluorescent lamp: 30...50 W at 230 V AC (RL LED mode) Energy saving lamp: 30...50 W at 230 V AC (RL LED mode) LED lamp: 30...50 W at 230 V AC (RL LED mode) Incandescent lamps: 4...150 W at 110 V AC Halogen lamps: 4...150 W at 110 V AC LV halogen lamps: 25...150 VA at 12 V AC (wound transformer) LV halogen lamps: 4...150 W at 12 V AC (electronic transformer) Compact fluorescent lamp: 4...90 W at 110 V AC (RC mode) Energy saving lamp: 4...90 W at 110 V AC (RC mode) LED lamp: 4...90 W at 110 V AC (RC mode) Compact fluorescent lamp: 15...25 W at 110 V AC (RL LED mode) Energy saving lamp: 15...25 W at 110 V AC (RL LED mode) LED lamp: 15...25 W at 110 V AC (RL LED mode)

Environment

Ip Degree Of Protection	IP20
-------------------------	------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	8 cm
Package 1 Width	12.4 cm
Package 1 Length	15.8 cm
Package 1 Weight	299 g

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Circularity Profile [End of Life Information](#)