# **Product datasheet**

Specifications





## metalic floor-fixing frame for vers.PLAZ or PLAZT W1000xD320mm

NSYMFPLAZ103

() Discontinued on: 01-Nov-2020

① Discontinued

#### Main

Range	Thalassa
Accessory / Separate Part Category	Fixing accessory
Product Or Component Type	Floor-fixing frame
Device Application	Multi-purpose
Enclosure Nominal Dimensions	- W: 1000 mm D: 320 mm
Mounting Location	On the floor
Range Compatibility	Thalassa Thalassa PLA
Device Composition	fixing elements 4 floor-fixing stud 1 floor-fixing frame

#### Complementary

Material	Steel	
Surface Finish	Zinc coated	
Fixing Mode	Screwed - on enclosure location By floor-fixing studs - on floor location	
Height	8 mm	
Width	980 mm	
Depth	260 mm	

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	10.5 cm
Package 1 Width	26.5 cm
Package 1 Length	98.5 cm
Package 1 Weight	9.0 kg

#### **Contractual warranty**

Warranty

18 months

## Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

## Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations