Product datasheet

Specifications

Green Premium™

25A 250V Connection Unit, White

A3G31TB_WE_G11

Main

Range	Affle Plus
Product Or Component Type	Connection unit
Device Presentation	Complete mechanism
Cover Frame Colour Tint	White

Complementary

Material	Polycarbonate: grid plate Polycarbonate: surround Polycarbonate: cover Polycarbonate: base
Device Mounting	Flush
Mounting Support	Wall mounted
Fixing Mode	By screw M3.5
Fixing Center	60.3 mm
Embedding Depth	35 mm
Rated Current	25 A at 250 V AC, resistive
Network Frequency	50 Hz
Contacts Material	Brass and phosphor bronze
Connections - Terminals	Pillar terminal
Terminal Identifier	L in L out N in Earth N out
Tightening Torque	0.4 N.m
Width	86 mm
Height	86 mm
Depth	38.1 mm
Net Weight	0.068 kg

Environment

Standards	BS 5733
Ambient Air Temperature For Operation	-5…40 °C
Relative Humidity	0…95 %
Environmental Characteristic	Indoor use

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.8 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	75 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	8
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
Package 2 Weight	606 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	96
Package 3 Height	21 cm
Package 3 Width	39.9 cm
Package 3 Length	46.9 cm
Package 3 Weight	7.772 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations