Product datasheet

Specifications





45A 250V Connection Unit, White

A3G554_WE_G11

- ! Discontinued on: 30 Jun 2023
- ! End-of-service on: 13 Mar 2024

Main

Range	Affle Plus
Product Or Component Type	Connection unit
Device Presentation	Complete mechanism
Cover Frame Colour Tint	White

Complementary

Material	Polycarbonate: grid plate	
	Polycarbonate: surround	
	Polycarbonate: cover	
Device Mounting	Flush	
Mounting Support	Wall mounted	
Fixing Mode	By screw M3.5	
Fixing Center	nter 60.3 mm	
Embedding Depth	35 mm	
Rated Current	45 A at 250 V AC, resistive	
Network Frequency	50 Hz	
Contacts Material	Brass and phosphor bronze	
Connections - Terminals	Pillar terminal	
	Screw terminal	
Terminal Identifier	Lin	
	N in	
	L out	
	N out	
	Earth	
Tightening Torque	0.4 N.m	
Width	86 mm	
Height	86 mm	
Depth	43.8 mm	
Net Weight 0.0126 kg		

Environment

Standards	BS 5733
Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %

Environmental Characteristic Indoor use

Packing Units

racking Units	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.4 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	132 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	6
Package 2 Height	9.5 cm
Package 2 Width	15 cm
Package 2 Length	19 cm
Package 2 Weight	796 g
Unit Type Of Package 3	PAL
Number Of Units In Package 3	1152
Package 3 Height	100 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	160832 g



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
Ø	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations