Product datasheet

Specifications





Empty enclosures,TeSys LE,with GV2E01 sealing device,for GV2ME+LC1K

LE1GVMEK

Main

Range Of Product	TeSys
Product Name	LE
Device Short Name	LE1GVME
Product Or Component Type	Enclosure
Device Application	Standard
Material	Polycarbonate
Utilisation Category	AC-3
Device Composition	Contactor ordered separately Circuit-breaker ordered separately Sealing kit

Complementary

Width	101 mm
Height	201 mm
Depth	94 mm
Net Weight	0.74 kg
Cable Entry Number	2 ISO20 top 2 ISO20 bottom 2 ISO25 top 2 ISO25 bottom

Environment

Ip Degree Of Protection	IP55
Standards	IEC 60947-4-1
Ambient Air Temperature For Operation	-540 °C
Environmental Characteristic	Standard environment

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
	1
Package 1 Height	15.500 cm
Package 1 Width	12.000 cm
Package 1 Length	21.500 cm
Package 1 Weight	544.000 g

Unit Type Of Package 2	P06
Number Of Units In Package 2	36
Package 2 Height	75.000 cm
Package 2 Width	60.000 cm
Package 2 Length	80.000 cm
Package 2 Weight	32.584 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations