# **Product datasheet**

Specifications





### Acti9 - TH7 - thermostat - 1 zone --40 °C to +80 °C

CCT15840

Price: 155,509.09 NGN

#### Main

Range Of Product	Acti9
Product Name	Acti9 TH
Product Or Component Type	Thermostat
Device Short Name	TH7
Number Of Zones	1
Provided Equipment	Supplied without probe

### Complementary

Complementary	
Operating Mode	Normal: -4080 °C
Measurement Accuracy	+/- 0.2 °C
Power Consumption In Va	4 VA
Maximum Switching Current	16 A - 250 V pf = 1 3 A - 250 V pf = 0.6
[Ue] Rated Operational Voltage	230 V AC +/- 10 %
Protection Type	Over temperature protection Over voltage protection against surges
Status Led	Indicator light (red) make position of the output contacts
Mounting Support	DIN rail
9 Mm Pitches	5
Connections - Terminals	Screwless terminals 2, cable cross section: 2.5 mm <sup>2</sup>
Colour Tint	White (RAL 9003)
Height	85 mm
Width	45 mm
Depth	65 mm

#### Environment

Standards	EN 60730-2-9
Ip Degree Of Protection	IP20

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.3 cm

Package 1 Length9.8 cmPackage 1 Weight225.0 gUnit Type Of Package 2S02Number Of Units In Package 223Package 2 Height15.0 cmPackage 2 Width30.0 cmPackage 2 Length40.0 cm		
Package 1 Weight225.0 gUnit Type Of Package 2S02Number Of Units In Package 223Package 2 Height15.0 cmPackage 2 Width30.0 cmPackage 2 Length40.0 cm	Package 1 Width	6.0 cm
Unit Type Of Package 2 S02   Number Of Units In Package 2 23   Package 2 Height 15.0 cm   Package 2 Width 30.0 cm   Package 2 Length 40.0 cm	Package 1 Length	9.8 cm
Number Of Units In Package 2 23   Package 2 Height 15.0 cm   Package 2 Width 30.0 cm   Package 2 Length 40.0 cm	Package 1 Weight	225.0 g
Package 2 Height 15.0 cm   Package 2 Width 30.0 cm   Package 2 Length 40.0 cm	Unit Type Of Package 2	S02
Package 2 Width 30.0 cm   Package 2 Length 40.0 cm	Number Of Units In Package 2	23
Package 2 Length 40.0 cm	Package 2 Height	15.0 cm
	Package 2 Width	30.0 cm
Package 2 Weight 5.6 kg	Package 2 Length	40.0 cm
	Package 2 Weight	5.6 kg

### **Contractual warranty**

Warranty

18 months

## Sustainability Screen

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations