

non adjustable time delay relay for MN voltage release, 220/240 VAC 50/60Hz

LV429427

Price: 188,339.52 NGN

#### Main

Device Short Name	MN delay unit
Product Or Component Type	Time delay relay
Device Application	Control
Range Compatibility	ComPact ComPact NSX PowerPact PowerPact Multistandard ComPact ComPact NSX DC EasyPact EasyPact CVS ComPact ComPact NSXm
Voltage Release Type	Undervoltage release
[Uc] Control Circuit Voltage	220240 V AC 50/60 Hz

# Complementary

Impulse Duration	200 ms
Time Delay Range	200 ms
Threshold Tripping Voltage	0.350.7 x Un opening 0.85 x Un closing
Supply Holding Power	4.5 VA
Supply Inrush Power	200 VA
Mounting Mode	External mounting
Response Time	<= 200 ms

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.5 cm
Package 1 Width	8.1 cm
Package 1 Length	9.0 cm
Package 1 Weight	153.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	30
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	5.107 kg

# **Contractual warranty**

Warranty

18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

### Well-being performance

<b>.</b>	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins