# **Product datasheet**

Specifications





# Unica Class - cover frame - 1 gang - ice aluminium

MGU68.002.7A1BS

#### Price: 50,440.91 NGN

#### Main

Range	Unica
Device Application	Mounting
Product Or Component Type	Cover frame
Aesthetic Name	Unica Class
Number Of Gangs	1 gang
Fixing Mode	Clip-in
Cover Frame Colour Tint	Ice aluminium

## Complementary

Material	Aluminium: cover frame ASA + PC: decorative frame
Standards	EN 60669-1
Height	93 mm
Width	102 mm
Depth	11 mm
Distance Between Centers	71 mm
Net Weight	0.1 kg
Market Segment	Small commercial Residential

#### Environment

Ik Degree Of Protection	IK01
Ip Degree Of Protection	IP20
Environmental Characteristic	Petrol
	Bleach
	Oil
	Window-cleaning fluid
	Alcohol
	Acetone
	UV resistant
	Liquid soap

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.0 cm

Package 1 Width	9.3 cm
Package 1 Length	9.3 cm
Package 1 Weight	138.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	55
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	7.693 kg

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations