

# Product data sheet

Specifications



## LINERGY BW 3P INSULATED B.BAR 630A L1000

04114

⚠ Discontinued on: 23/03/2023

⚠ Discontinued

### Main

Range	Linergy
Range Of Product	Linergy
Product Or Component Type	Busbar
Product Name	Linergy BW
Range Compatibility	Prisma Prisma G enclosure Prisma Prisma P enclosure
Ip Degree Of Protection	IPxx B
Busbar Description	Insulated bar
Quantity Per Set	Set of 1

### Complementary

Poles Description	3P
Installation Direction	Vertical, operating position: rear
Installation Description	Cubicle - width 650 mm Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm
[Ui] Rated Insulation Voltage	1000 V
[Uimp] Rated Impulse Withstand Voltage	8 kV
[Ie] Rated Operational Current	630 A
[Icw] Rated Short-Time Withstand Current	25 kA (1 s)
[Ipk] Rated Peak Withstand Current	52.5 kA
I²T On Activation	625000 kA².s
Permissible Current	630 A
Length	1000 mm
Net Weight	10.24 kg
Type Of Busbar Connection	M6 threaded hole
Connection Pitch	Connection each 25 mm

### Environment

Standards	IEC 61439-1 IEC 61439-2
Product Certifications	ASEFA

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Mechanical Robustness	Seismic tests - 2.5G conforming to IEC 60068-2-57
-----------------------	---

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Sustainability



**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency   RoHS/REACH

Well-being performance

 Mercury Free

 Rohs Exemption Information   [Yes](#)

Certifications & Standards

Eu Rohs Directive	Compliant <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins