# Product data sheet

Specifications





# Plain door for Spacial S3D 400 x 600, with lock

NSYDS3D46

#### Main

Range	Spacial
Accessory / Separate Part Category	Enclosure accessory
Product Or Component Type	Door
Application	Multi-purpose
For Enclosure Nominal Dimensions	-
Mounting Location	Front
Range Compatibility	Spacial Spacial S3D
Device Composition	1 door locking system
Quantity Per Set	Set of 1

### Complementary

Material	Door: sheet steel
Colour	Grey (RAL 7035)
Surface Finish	Textured epoxy polyester
Lock Type	Lock 3 mm double bar
Number Of Locks	1
Door Type	Plain
Door Opening Side	Reversible (120 °)
Maximum Load	50 kg/m²
Height	400 mm nominal:
Width	600 mm nominal:
Net Weight	3.524 kg

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	41.0 cm
Package 1 Length	60.5 cm
Package 1 Weight	3.524 kg
Unit Type Of Package 2	PAL

Number Of Units In Package 2	5
Package 2 Height	29.0 cm
Package 2 Width	45.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	17.62 kg

# **Contractual warranty**

Warranty

18 months

20/04/2024

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations

Life Is On Schneider