


Product data sheet

Specifications



communication module CANopen,
Altivar, Lexium, 1 male SUB D9
connector

VW3A3618

Main

Range Of Product	Altivar
Product Or Component Type	Communication module
Accessory / Separate Part Category	Communication accessories

Complementary

Product Compatibility	Lexium 32M
Range Compatibility	Altivar Process ATV600 Altivar Machine ATV340 except Sercos drives Altivar 32 Altivar Machine ATV320 Lexium 32 Altivar Process Modular Altivar Process ATV900
Communication Port Protocol	CANopen, CANmotion
Electrical Connection	1 male connector SUB-D 9, CANopen, CANmotion

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.35 cm
Package 1 Width	8.89 cm
Package 1 Length	5.08 cm
Package 1 Weight	68.04 g
Unit Type Of Package 2	S01
Number Of Units In Package 2	24
Package 2 Height	15 cm
Package 2 Width	15 cm
Package 2 Length	40 cm
Package 2 Weight	1.962 kg

Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Sustainability



Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Toxic Heavy Metal Free	
✓ Mercury Free	
✓ Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations