Product datasheet

Specifications





EVlink Wallbox - 3.7 kW - socketoutlet T2 - charging station

EVH2S3P02K

Main

| Range | EVlink |
|---------------------------|------------------|
| Product Name | EVlink Wallbox |
| Product Or Component Type | Charging station |
| Device Short Name | EVH2 |
| Poles Description | 1P + N |
| Mounting Mode | Wall-mounted |
| Offer Type | Standard |
| Max Power | 3.7 kW 16 A |
| Number Of Charge Point | 1 |
| Connection To The Vehicle | Socket-outlet T2 |
| Access Control System | Кеу |

Complementary

| Rated Supply Voltage | 220240 V AC 50/60 Hz |
|------------------------|---|
| Earthing System | П |
| | TN |
| Number Of Inputs | 1 |
| Input Type | Contact for power limitation |
| | Contact for delayed charging |
| Control Type | 1 white button, function: stop/restart |
| | Green button, function: cable unlocking |
| Local Signalling | 1 multi-colour LED, function: status indication |
| Height | 480 mm |
| Width | 331.5 mm |
| Depth | 170 mm |
| Net Weight | 5.6 kg |
| Colour | White (RAL 9003) |
| | Grey (RAL 7016) |
| Standards | IEC 61851-22 |
| | IEC 62196-2 |
| | IEC 61851-1 |
| | IEC 62196-1 |
| Product Certifications | CE |
| | CB |

Environment

| Ip Degree Of Protection | IP54 conforming to IEC 60529 |
|--|------------------------------|
| Ik Degree Of Protection | IK10 conforming to IEC 62262 |
| Ambient Air Temperature For Operation | -3050 °C |
| Ambient Air Temperature For Storage | -4080 °C |
| Relative Humidity | 595 % |

Packing Units

| Unit Type Of Package 1 | PCE |
|------------------------------|-----------|
| Number Of Units In Package 1 | 1 |
| Package 1 Height | 25.500 cm |
| Package 1 Width | 53.000 cm |
| Package 1 Length | 40.000 cm |
| Package 1 Weight | 8.106 kg |
| Unit Type Of Package 2 | P06 |
| Number Of Units In Package 2 | 4 |
| Package 2 Height | 75.000 cm |
| Package 2 Width | 60.000 cm |
| Package 2 Length | 80.000 cm |
| Package 2 Weight | 40.924 kg |

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

| Reach Regulation | REACh Declaration |
|--------------------------|---|
| Eu Rohs Directive | Compliant with Exemptions |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Circularity Profile | End of Life Information |