

Product datasheet

Specifications

Aluminium Cylinder Ø 10.5 mm - for current transformer TI



METSECT5CYL2

Main

Range	PowerLogic
Product Name	CT
Device Short Name	cylinder
Product Or Component Type	Cylinder
Accessory / Separate Part Category	Connection accessory
Diameter	26.8 mm outer:

Complementary

Width	45 mm
Iso Thread	M10
Cable Outer Diameter	27 mm
Material	Aluminium

Environment

Product Certifications	CE EAC
------------------------	-----------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.1 cm
Package 1 Width	10 cm
Package 1 Length	8 cm
Package 1 Weight	115 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	10.3 cm
Package 2 Width	11 cm
Package 2 Length	11.5 cm
Package 2 Weight	1.216 kg
Unit Type Of Package 3	S03
Number Of Units In Package 3	60

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Height	30 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	7.34 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations