

EVlink Parking Spare Part Enclosure Grey 22kW 2xT2

Local distributor code: 408708153

EVP2PE2222

EAN Code: 3606480882913

Main

Range	EVlink	
Product Name	EVlink parking	
Product Or Component Type	Enclosure	
Device Short Name	EVP2	
Range Compatibility	EVlink EVlink parking EVF2 charging station EVlink EVlink parking EVW2 charging station	
Poles Description	3P + N for power circuit 1P + N for control circuit	
Mounting Mode	Floor-standing Wall-mounted	
Offer Type	Standard	
Rated Supply Voltage	230 V AC 50/60 Hz control circuit 380415 V AC 50/60 Hz power circuit	
Earthing System	IT TN TT	
Socket-Outlet Number	2	
Socket-Outlet Type	Right side: T2 / silver plated contacts Left side: T2 / silver plated contacts	
Maximum Supply Current	32 A for T2	
Max Power	22 kW for T2	

Complementary

Control Type	2 red push-button, function: stop 2 green illuminated push-button, function: start/unlock flap	
Local Signalling	On charge: 2 LED (green) (flashing) on side Available: 2 LED (green) on front Reserved: 2 LED (orange) on front Not operational: 2 LED (red) on front	
Web Server	Embedded	
Ethernet Service	Configuration via web server	
Height	625 mm	
Width	400 mm	
Depth	206 mm	
Net Weight	20 kg	
Colour	Grey (RAL 7016)	

Environment

Ip Degree Of Protection	IP54 off load conforming to IEC 61851-1 IP54 on load conforming to IEC 61851-1	
Ik Degree Of Protection	IK10 charging station conforming to IEC 61851-22 IK10 socket-outlet conforming to IEC 61851-22	
Ambient Air Temperature For Operation	-2550 °C conforming to IEC 61851-22	
Ambient Air Temperature For Storage	-4080 °C	
Operating Altitude	02000 m conforming to IEC 61851-22	
Relative Humidity	095 %	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	25.0 cm
Package 1 Width	50.0 cm
Package 1 Length	70.0 cm
Package 1 Weight	19.5 kg
Unit Type Of Package 2	P06
Number Of Units In Package 2	2
Package 2 Height	50.0 cm
Package 2 Width	80.0 cm
Package 2 Length	60.0 cm
Package 2 Weight	47.5 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

trem being perfermence				
	Mercury Free			
⊘	Rohs Exemption Information	Yes		
Rea	ch Regulation	REACh Declaration		
Eu f	Rohs Directive	Compliant with Exemptions		
Chir	na Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information		