# **Product datasheet**

Specifications



# Exclusive - 2-pole switch - 2 gang - 50 A - white

Local distributor code: 396853233

GCKR50A2G

EAN Code: 5018486549369

#### Main

Product Or Component Type	Switch
Device Presentation	Complete product
Colour Tint	White
Quantity Per Set	Set of 5

## Complementary

· · · · · · · · · · · · · · · · · ·	
Switch Function	2-pole
Control Type	Dolly switch
Number Of Gangs	2 gangs
Pilot Light	without neon indicator
Device Mounting	Wall mounted
Rated Current	50 A at 230 V AC
Connections - Terminals	Screw terminals
Material	Urea (carbamide)
Surface Finish	Matt
Height	86 mm
Width	146 mm
Depth	36 mm
Net Weight	0.208 kg

#### Environment

Standards	BS EN 60669-1
Ip Degree Of Protection	IP20

# **Packing Units**

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	8.6 cm
Package 1 Length	14.7 cm
Package 1 Weight	208 g
Unit Type Of Package 2	BB1

Number Of Units In Package 2	5
Package 2 Height	9.5 cm
Package 2 Width	15.5 cm
Package 2 Length	18.5 cm
Package 2 Weight	1.129 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	33 cm
Package 3 Width	39 cm
Package 3 Length	50 cm
Package 3 Weight	23.283 kg

## **Contractual warranty**

Warranty

18 months

#### **Sustainability**

**Green Premium<sup>™</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information