Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product datasheet

Specification





Lisse - white moulded - grid plate - 1 module - 1 gang

Local distributor code:
400135300 GGBL01G

EAN Code: 3606480641398

Main

Range	Lisse
Aesthetic Name	White moulded
Product Or Component Type	Plate
Colour Tint	White
Quantity Per Set	Set of 5

Complementary

Number Of Modules	1 module
Fixing Mode	By screws
Number Of Gangs	1 gang
Material	Urea (carbamide)
Type Of Packing	Carton
Type Of Installation	Indoor
Width	87 mm
Height	87 mm
Depth	21 mm
Net Weight	0.095 kg

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.8 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	101 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	9.5 cm
Package 2 Width	8.5 cm

Package 2 Length	9.5 cm
Package 2 Weight	538.3 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	100
Package 3 Height	11.5 cm
Package 3 Width	36 cm
Package 3 Length	49.5 cm
Package 3 Weight	11.4 kg

Contractual warranty

Warranty 18 months



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance



Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	End of Life Information